

XML eksempel på Orderconf (PICK, Variant 201):

```

<?xml version="1.0" encoding="UTF-8"?>
- <nm:OrderData xmlns:prx="urn:sap.com:proxy:DOE:/1SAI/TASDBEC2B85A8E8DFB0F7B2:731" xmlns:nm="http://rm.dk/LP">
  - <MsgHdr>
    <MsgId/>
    <Msgtype>ORDERS</Msgtype>
    <Type>PICK</Type>
    <Variant>201</Variant>
    <Date>20130618</Date>
    <Time>162313</Time>
    <Status/>
  </MsgHdr>
  - <Header>
    <OrderNo>715859 </OrderNo>
    <OrderRef/>
    <FromPlant>1510</FromPlant>
    <FromStorage>1511</FromStorage>
    <FromVendor/>
    <VendorName/>
    - <DeliveryAdr>
      <Street/>
      <PostCode/>
      <City/>
      <Country/>
    </DeliveryAdr>
    - <Info>
      <Purchaser/>
      <Route/>
      <CostCenterName/>
    </Info>
  </Header>
  - <Items>
    - <Item>
      <Itemno>00011189850001</Itemno>
      <RefOrderNo>1118985 </RefOrderNo>
      <RefItemNo>1 </RefItemNo>
      <Material>10891374</Material>
      <MaterialText>Tungespatel træ uste. 4626010 15cm</MaterialText>
      <VendorMatNo/>
      <Qty>100.000 </Qty>
      <Unit>PCE</Unit>
      <Qty2>1.000 </Qty2>
      <Unit2>PK</Unit2>
      <ToPlant/>
      <ToStorage/>
      <ToStorageBin/>
      <ToCostCenter/>
      <ToRoom>RSKYL</ToRoom>
      <ToCabinet>D13</ToCabinet>
      <ToShelf>00003</ToShelf>
      <InfoText1/>
      <InfoText2/>
      <DeliveryDate>20130618</DeliveryDate>
      <Deleted/>
      <Price>0.00 </Price>
      <Currency>DKK</Currency>
      <FinalIndicator/>
    </Item>
  </Items>
</nm:OrderData>

```

XML eksempel på Orderconf (PUT, Variant 101):

```

<?xml version="1.0" encoding="UTF-8"?>
- <nm:ConfirmationData xmlns:nm="http://rm.dk/LP">
  - <MsgHdr>
    <MsgId>20140423ND21579941</MsgId>
    <Msgtype>ORDERS</Msgtype>
    <Type>PUT</Type>
    <Variant>101</Variant>
    <Date>20140423</Date>
    <Time>070552</Time>
    <Status/>
  </MsgHdr>
  - <Header>
    <OrderNo>3000523255</OrderNo>
    <OrderRef/>
    <FromPlant/>
    <FromStorage/>
    <FromVendor/>
    <VendorName/>
    - <DeliveryAdr>
      <Street/>
      <PostCode/>
      <City/>
      <Country/>
    </DeliveryAdr>
    - <Info>
      <Purchaser/>
      <Route/>
      <CostCenterName/>
    </Info>
  </Header>
  - <Items>
    - <Item>
      <Itemno>1</Itemno>
      <RefOrderNo>3000523255</RefOrderNo>
      <RefItemNo>1</RefItemNo>
      <Material>11009045</Material>
      <MaterialText/>
      <VendorMatNo/>
      <Qty>600.000</Qty>
      <Unit>ST</Unit>
      <Qty2/>
      <Unit2/>
      <ToPlant/>
      <ToStorage/>
      <ToStorageBin/>
      <ToCostCenter>1016100400</ToCostCenter>
      <ToRoom/>
      <ToCabinet/>
      <ToShelf/>
      <InfoText1/>
      <InfoText2/>
      <DeliveryDate/>
      <Deleted/>
      <Price/>
      <Currency/>
      <FinalIndicator/>
    </Item>
  </Items>
</nm:ConfirmationData>

```

XML eksempel på Stamdata for materialer:

```

<?xml version="1.0" encoding="UTF-8"?>
- <nm:MaterialData xmlns:prx="urn:sap.com:proxy:QOE:/1SAI/TASA0C3B6B3606EDDEAF16B:731" xmlns:nm="http://rm.dk/LP">
  - <MsgHdr>
    <MsgId/>
    <MsgType>MATERIAL</MsgType>
    <Type/>
    <Variant/>
    <Date>20140311</Date>
    <Time>121346</Time>
    <Status/>
  </MsgHdr>
  - <Materials>
    - <Material>
      <MaterialNo>10800028</MaterialNo>
      <Description>Maske forstøver sæt Hottop+ 1474 barn</Description>
      <MaterialClass>42270001</MaterialClass>
      <Weight>0.000 </Weight>
      <Dimensions>BARN</Dimensions>
      <Handling/>
      <Unit>ST</Unit>
      <Inactive/>
    </Material>
  </Materials>
</nm:MaterialData>

```